



## Tip Top Turbo

Liquid Foliar Feed

***NPK foliar feed with amino acids,  
humic acids and seaweed  
extracts***

### Uses

To stimulate plant growth by foliar nutrition when normal root uptake of nutrients is compromised. This can be caused by a host of biotic and non-biotic factors such as disease and pest attack, cold and wet weather, soil nutrient deficiencies etc.

Tip Top Turbo can be viewed as a “tonic” to help crops through periods of reduced growth.

### Benefits

- Easy to use liquid formulation
- Rapid crop response following application
- Gently, non-scorching formulation
- Suitable for a very wide range of agricultural, horticultural and amenity crops
- Nitrogen balanced formulation for effective uptake
- Contains plant-origin amino acids for rapid uptake and assimilation
- Contains Humic acids for improved utilization of nutrients
- Contains Seaweed extracts to stimulate growth
- Balanced level of chelated micronutrients for effectiveness
- Mixes with most other agricultural chemicals

## Chemical/physical data

### Analysis

	% w/v	% w/w	
<b>Total nitrogen (N)</b>	7.64	6.37	
<b>Ureic nitrogen (N)</b>	3.60	3.00	
<b>Nitrate nitrogen (N)</b>	3.10	2.58	
<b>Ammoniacal nitrogen (N)</b>	0.90	0.75	
<b>Phosphorus as P<sub>2</sub>O<sub>5</sub> (P)</b>	4.0 (1.74)	3.33 (1.45)	
<b>Potassium as K<sub>2</sub>O (K)</b>	8.7 (7.22)	7.25 (6.02)	
<b>Magnesium as MgO (Mg)</b>	0.900	0.75	
<b>Boron (B)</b>	0.010	0.008	
<b>Copper (Cu)</b>	0.004	0.003	Chelated by EDTA
<b>Iron (Fe)</b>	0.072	0.060	Chelated by EDTA
<b>Manganese (Mn)</b>	0.023	0.019	Chelated by EDTA
<b>Molybdenum (Mo)</b>	0.002	0.002	
<b>Zinc (Zn)</b>	0.030	0.025	Chelated by EDTA

**Appearance:** Translucent brown solution

**Solubility in water:** Completely miscible with water

## Directions for use

**Application rates:** **Tractor sprayer:** 5 litres per hectare in 200 litres of water.  
**Knapsack sprayer:** 50 ml per 10 litres of water spray to run off.

**Directions:** Apply as soon as there is sufficient foliage to absorb the spray. Repeat at 2 week intervals as necessary during the growing season.

**Caution:** Do not apply to crops during flowering. Apply when crops are turgid in the early morning or late afternoon. Do not apply during the heat of the day. Do not apply to crops under drought or other stress.

## General information

**Packaging:** 5, 10, 20 litres

**Harmonised  
Tariff No:** 31052090

**Technical service:** For further information, assistance and access to The Solufeed Advisory Service, please contact Solufeed at the address below.

## Precautions

Detailed health and safety information may be found on the relevant Material Safety Data Sheet (MSDS) available on request from the address below.

## Important

The information in this document has been prepared carefully and is provided in good faith. The application, use and processing of any material together with regulatory compliance is the absolute responsibility of the Buyer. All technical information or other advice provided by the Seller in any form is given without warranty to the full extent provided by law.

Please note that products may differ or be unavailable in certain territories.



Certificate No: FS 573717

Copyright ©2019 Solufeed Ltd.

Solufeed and the wavy parallelogram device are trademarks of Solufeed Ltd and registered in relevant countries.



Solufeed Ltd  
The Depot  
Chichester Road  
Sidlesham Common  
Chichester  
West Sussex PO20 7PY  
Tel: +44(0)1243 554090  
enquiries@solufeed.com  
www.solufeed.com